



Submittal #260536-1.0 260536 - Cable Trays for Electrical Systems

C&S Companies
499 Col Eileen Collins Blvd.
Syracuse, New York 13212-3930
Phone: (315) 455-2000
Fax: (315) 455-9667

Project: 128.060.001 - Dutchess Stadium New Clubhouse &
Improvements
1500 NY-9D
Wappingers Falls, New York 12590

Cable Trays for Electrical Systems - Product Information

SPEC SECTION:	260536 - Cable Trays for Electrical Systems	SUBMITTAL MANAGER:	Kara Mearon (C&S Engineers Inc.)
STATUS:	Submitted	DATE CREATED:	03/13/2023
ISSUE DATE:		REVISION:	0
RESPONSIBLE CONTRACTOR:	Piazza Brothers Construction	RECEIVED FROM:	Julianna LoPriore
RECEIVED DATE:	04/25/2023	SUBMIT BY:	
FINAL DUE DATE:	05/9/2023	LOCATION:	
TYPE:	Product Information	COST CODE:	
APPROVERS:	Allen Schmidt (DLR Group), Sarah Treas (DLR Group)		
BALL IN COURT:	Allen Schmidt (DLR Group), Sarah Treas (DLR Group)		
DISTRIBUTION:			
DESCRIPTION:			
ATTACHMENTS:			

SUBMITTAL WORKFLOW

#	NAME	SUBMITTER/ APPROVER	SENT DATE	DUE DATE	RETURNED DATE	RESPONSE	ATTACHMENTS	COMMENTS
1	Damon Baxter	Submitter		1/8/2024		Pending		
2	Gus Carvajal	Submitter		1/8/2024		Pending		
3	Julianna LoPriore	Submitter		1/8/2024	4/25/2023	Submitted	260536-1.3A Cable Tray.pdf	Cable Tray
4	Allen Schmidt	Approver	4/25/2023	5/9/2023		Pending		
5	Sarah Treas	Approver	4/25/2023	5/9/2023		Pending		



Submittal #260536-1.0 260536 - Cable Trays for Electrical Systems

Architect/Engineer Approval:

- (A) Approved
- (A/N) Approved As Noted
- (RR) Revise and Resubmit
- (REJ) Rejected
- (SUB) Submit Specified Item

Checking is only for general compliance with the design concept of the project and general compliance with the information given in the contract documents. Any action shown is subject to the requirements of the plans and specifications. Contractor is responsible for dimensions which shall be confirmed and correlated at the jobsite; fabrication processes and techniques of construction; coordination of his work with that of all other trades; and the satisfactory performance of his work.

Reviewed by: _____
Date: _____

DLRGROUP

Submittal Review

Project Name: Dutchess Stadium Left Field Building
 Project Number: 57-21113-01
 Submittal ID: 260536-1
 Received On: 4/25/2023
 Reviewed On: 5/9/2023
 Reviewed By: Collin Wheeler

Action: Reviewed

This review is for the limited purpose of checking for conformance with information given and the design concept expressed in the Contract Documents. Review of submittals is not for the purpose of determining the accuracy and completeness of other information such as dimensions, quantities, and installation or performance of equipment or systems, which are the Contractor's responsibility. The Architect's review shall not constitute approval of safety precautions or construction means, methods, techniques, sequences or procedures. The Architect's approval of a specific item shall not indicate approval of an assembly of which the item is a component. The Architect's comments, notes or corrections are not an authorization to proceed with Work involving a change in the Contract Sum, the Contract Time or both. If any portion of this review requires a change to the Work, an appropriate change instrument must be executed in accordance with the Contract Documents.

BY _____

DATE _____

COPIES TO _____



SUBMITTAL COVER SHEET

From: Julianna LoPriore Attn: Tim Brown
 Company: Piazza, Inc. C&S Companies
 Phone/Fax #: (914)741-4435 499 Col. Eileen Collins Blvd.
 Project: Dutchess Stadium Syracuse, NY 13212
 Project #: RFB-DCB-18-22 (315) 455-2000; Fax: 455-9577

Reference: CSI Code: 260536-1.3A Dwg No: _____
 Paragraph: _____ Other: _____

Description: Cable Tray for electrical systems

Supplier: Upstate Electric

Manufacturer: Cablofil

Item Type: Product Data Manf. Cert/Warranty
 Shop Drawings Samples
 Other: _____

Contractor's Approval:

_____ Reviewed for general compliance of specifications.
 _____ This submittal is a **substitute** to the specified product.
 For Architects / Engineers Approval

This is our 1st submittal for this item.

We are submitting _____ copies.

Contractor Submittal Review Stamp
 THE ATTACHED MATERIAL HAS BEEN REVIEWED BY THE UNDERSIGNED AND IS BELIEVED TO COMPLY WITH ALL REQUIREMENTS OF THE CONTRACT DOCUMENTS. THE UNDERSIGNED UNDERSTANDS VERIFICATION OF FIELD DIMENSIONS, AND COORDINATION WITH OTHER TRADES, REMAINS THE RESPONSIBILITY OF THE CONTRACTOR.

Submitted by: **Piazza, Inc.**
Digitally signed by Piazza, Inc.
 DN: c=US, E=julianne@piazzabrothers.com,
 OU=Piazza, Inc., O=Piazza, Inc.,
 CN=Piazza, Inc.
 Date: 2023.03.15 15:04:38-04'00'

Date: 4/25/2023




CF 105 CABLOFIL CABLE TRAY


CABLOFIL®

INNOVATORS IN CABLE MANAGEMENT


8319 State Route 4
 Mascoutah IL 62258
 Phone: 800-658-4641
 618-566-3230
 Fax: 618-566-3250
www.cablofil.com




TOP




ISOMETRIC





FRONT



SIDE



- Tray designed per NEMA VE-1, CSA C22.2 No. 126
- CF has top wave wire (shown)

			
	in	mm	lb
CF105 100	3.937	100	9.0
CF105 150	5.904	150	10.2
CF105 200	7.872	200	13.4
CF105 300	11.81	300	21.2
CF105 450	17.71	450	25.9
CF105 500	19.68	500	27.5
CF105 600	23.62	600	30.4

	Material	Finish
EZ	Carbon Steel ASTM A510 Grade 1008	Electroplated Zinc, ASTM B633
GC	Carbon Steel ASTM A510 Grade 1008	Hot-Dip Galvanized ASTM A123
BL	Carbon Steel ASTM A510 Grade 1008	Black Painted ASTM D 3451
PE	Carbon Steel ASTM A510 Grade 1008	Custom Painted ASTM D 3451
304L	AISI TYPE 304L	Passivated ASTM A 380
316L	AISI TYPE 316L	Passivated ASTM A 380

