

CONCRETE
CURB
SIDEWALK

<u>PLAN</u>

VARIES

HOLE TO BE 3 TIMES ROOT BALL DIAMETER

WITH SLOPED SIDES

> CONTRACTOR SHALL HAVE OPTION OF PLANTING SHRUBS IN INDIVIDUAL PITS AS SHOWN OR IN

EITHER CASE BACKFILL WITH TOPSOIL MIX AS

TO PROVIDE WATERING SAUCER.

- TOPSOIL MIX BACKFILL

UNINTERRUPTED EXCAVATION FOR ENTIRE BED. IN

—SET TOP OF ROOT BALL 1" ABOVE FINISH GRADE

-FORM 3" HIGH TOPSOIL LIP AROUND EACH SHRUB

-MULCH (3" LAYER) AS SPECIFIED OVER ENTIRE BED.

-CUT AND REMOVE BINDING FROM TRUNKS AND AS

—SIT ROOT BALL ON EXISTING UNDISTURBED SOIL OR

ON COMPACTED SUBGRADE. DO NOT DIG DEEPER

MUCH OF BALL AS POSSIBLE. CUT AND REMOVE BURLAP AT UPPER 1/3 OF BALL. IF SYNTHETIC

BURLAP IS USED, RÉMOVE COMPLETELY.

THAN THE DEPTH OF THE ROOT BALL.

DO NOT PLACE MULCH WITHIN 3" OF TRUNK.

DO NOT CUT LEADER.)

SHRUB PLANTING DETAIL

(N.T.S.)

NOTES:

-+ + - TRIANGULAR PLANT SPACING ALL EQUAL OR AS SHOWN ON PLANTING NOTES: PLANT QUANTITIES WERE DETERMINED PLANTS PER SQ. FT. SPACING "D" ROW "A" BY MULTIPLYING AREA (SQ. FT.) BY NUMBER OF PLANTS PER SQ. FT. 18" O.C. 15.6**"** 12" O.C. 10" O.C. 1.15 FOR REQUIRED SPACING 2.60 QUANTITY OF PLANTS AND SPACING AS NOTED IN PLANTING SCHEDULE SEE PLAN FOR SPACING ---- SET PLANT AT ORIGINAL DEPTH 4" MULCH —— - PLUG OR POTTED PLANT AMMEND SOIL AS SPECIFIED —— EXISTING SOIL

---- PLANT CENTER

+ + + + + + +

PERENNIAL / ORNAMENTAL GRASS PLANTING DETAIL

(N.T.S.)

LUMINAIRE SCHEDULE

Sym Qty Catalog Number Description Lamp Mounting Height Watts

2 RSX1 LED P1 30K LITHONIA LIGHTING LED LUMINAIRE RSX1 LED 16'-0" 51.3

AFR HS

LIGHT CONTOUR LEGEND ----- 0.1 ----- 0.10 Foot Candles

——— 1 ——— 1.00 Foot Candles

_____ 2 ____ 2.00 Foot Candles

* Photometric calculations shown on plan


are in foot candles.

LIGHTING NOTES:

1. All lighting shall be as noted


- All lighting shall be as noted on the plan or approved equal.
 Style and finish of all luminaires to be selected by owner and
- approved by the YPS.

 3. Proposed lights will run on photocells during regular park hours.
- 4. Lighting duration to be set by YPS.
- 5. All light fixtures to be full cutoff to comply with dark sky



PLAYGROUND LIGHTING PLAN

SCALE: 1" = 20'



NOTE:
PROVIDE STAKING AND GUYING FOR TREES PLANTED ON SLOPES GREATER
THAN 3H: 1V, IN EXPOSED, WINDY AREAS AND AS SPECIFIED BY LANDSCAPE
ARCHITECT. GUY WIRES AND STAKES SHALL BE REMOVED WITHIN
TWELVE MONTHS OF PLANTING.

CITY OF YONKERS

STANDARD FOR NON MOUNTABLE CURB TYPES

TYPE "N"

STANDARD FOR PRECAST CONCRETE TRENCH DRAINS

A◀

NOTES:
1) MINIMUM 4,000 PSI CONCRETE @ 28 DAYS

2) 60 GRADE REINFORCEMENT
3) APPROX. WEIGHT = 325 LBS/LIN. FT.
4) MANUFACTURED BY PRECAST CONCRETE OR EQUAL

—AS REQUIRED—

PLAN VIEW


6" X 6" X W4/W4 W.W.M.


24*-----


SECTION A-A


EVERGREEN TREE PLANTING DETAIL (N. T. S.)

CITY OF YONKERS CONCRETE SIDEWALK AND CURB









NEW COMMUNITY SCHOOL 35 AT ST DENIS SITE

YONKERS JOINT SCHOOLS CONSTRUCTION BOARD



285 MAIN STREET. MOUNT KISCO, NEW YORK 10549

KGDARCHITECTS.COM

P:914.666.5900

121 McLean Avenue

Yonkers, NY 10705

NYSED PROJECT CONTROL No. 66-23-00-01-0-346-001

CONSTRUCTION DOCUMENTS

NOTE: ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF KAEYER, GARMENT, & DAVIDSON ARCHITECTS, PC (KG&D), AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF (KG&D). WRITTEN DIMENSIONS ON THIS DRAWING SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS ON THIS DRAWING SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. SHOP DETAILS MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION.

LEGAL NOTICE: ALTERATIONS BY ANY PERSON, IN ANY WAY, OF ANY ITEM CONTAINED ON THIS DOCUMENT, UNLESS ACTING UNDER THE DIRECTION OF THE LICENSED ARCHITECT WHOSE PROFESSIONAL SEAL IS AFFIXED HERETO, IS A VIOLATION OF TITLE VII, SECT. 69.5 (b) OF NEW YORK STATE LAW.

C COPYRIGHT KAEYER, GARMENT, & DAVIDSON, PC ALL RIGHTS RESERVED

Professional Seal



	11/01/2021	ISSUE FOR BID
	08/24/2021	NYSED ADDENDUM 1
	07/14/2021	CONST. DOCS - FOR NYSED
	12/15/2020	DESIGN DEVELOPMENT
	08/31/2020	SCHEMATIC DESIGN
Ю.	Date	Issue

DETAILS

Job No. Date 2018-1071 8/30/2020

AS SHOWN

C402

rawn / Checked

MEU/AT

:0192100 KG&D- S† Denis\C400.dwg, 1C